

AMENDMENTS TO THE CLAIMS

1. (currently amended) In a graphical modeling environment, a method comprising:
 receiving a user request to define a parameter or a setting of a block in a simulatable block diagram model;
 in response to the user request, generating a preview of code representative of code for the block prior to generation of code for the simulatable block diagram model, the code for the simulatable block diagram model being executable to simulate the simulatable block diagram model; and
 displaying the preview of the code on a graphical user interface.
2. (previously presented) The method of claim 1, wherein receiving the user request to define the parameter or the setting for the block comprises receiving the parameter or the setting via the graphical user interface.
3. (previously presented) The method of claim 2, wherein the preview of the code is displayed on the graphical user interface that receives the parameter or the setting.
4. (previously presented) The method of claim 1, wherein the preview of the code comprises a subset of corresponding code for the block.
5. (previously presented) The method of claim 4, wherein the subset of code corresponds to the parameter or the setting.
6. (previously presented) The method of claim 1, wherein generating the preview of the code comprises:
 generating an estimation of the code using a predictor mechanism.
7. (previously presented) The method of claim 1, wherein generating the preview of the code comprises:
 generating code corresponding to the block using an execution engine.

8. (previously presented) The method of claim 1, wherein the preview of the code comprises a symbolic, non-literal representation of code corresponding to the block.

9. (previously presented) The method of claim 1, wherein the preview of the code comprises pseudo-code.

10. (previously presented) The method of claim 1, wherein generating and displaying the preview of the code execute in real-time after receiving the user request.

11. (previously presented) The method of claim 1, further comprising altering the parameter or the setting for the block after the displaying of the preview of the code.

12. (previously presented) The method of claim 11, further comprising:
generating code representing the altered parameter or the altered setting; and
displaying the code representing the altered parameter or the altered setting on the graphical user interface.

13. (previously presented) The method of claim 1, further comprising altering a second parameter or a second setting in the block diagram model after the displaying of the preview of the code.

14. (previously presented) The method of claim 12, further comprising:
generating code representing the altered second parameter or the altered second setting;
and
displaying the code representing the altered second parameter or the altered second setting on the graphical user interface.

15. (canceled)

16. (previously presented) The method of claim 1, further comprising:
receiving the parameter or the setting via a dialog box associated with the block.

17. (original) The method of claim 16, wherein the dialog box includes a code preview field for displaying the code.

18. (previously presented) The method of claim 1, wherein generating the preview of the code and displaying the preview of the code on the graphical user interface are executed automatically in response to the user defining the parameter or the setting.

19. (currently amended) In a graphical modeling environment, a method comprising:
automatically updating a preview of code representative of code for a block in a simulatable block diagram model in response to a user altering a parameter or a setting of the block, the code being executable to simulate the simulatable block diagram model; and
displaying the updated preview of the code on a graphical user interface.

20. (previously presented) The method of claim 19, further comprising:
receiving the altering of the setting via the graphical user interface.

21. (previously presented) The method of claim 19, wherein the graphical user interface displays the updated preview of the code in real time after the altering of the setting.

22. (previously presented) The method of claim 19, further comprising:
receiving a cancellation of the altering of the setting after displaying the updated preview of the code.

23. (currently amended) A computer-readable storage medium for use with an electronic device having a processor, the medium storing instructions executable by the processor of the electronic device, the medium storing:

one or more instructions for receiving a user request to define a parameter or a setting of a block in a simulatable block diagram model;

one or more instructions for generating a preview of code in response to the user request, the generating the preview occurring prior to generating code for the block diagram model using an execution engine, the preview of the code representative of code for the block ~~in the block diagram model prior to generation of code for the block diagram model~~, where the preview of

the code is presented in a coding format that differs from a coding format of the code for the block in response to the user request; and

one or more instructions for displaying the preview of the code on a graphical user interface.

24. (currently amended) A computer-readable storage medium for use with an electronic device having a processor, the medium storing instructions executable by the processor of the electronic device, the medium storing:

one or more instructions for automatically updating a preview of code representative of code for a block in a simulatable block diagram model in response to a user altering a parameter or a setting of the block, the code being executable to simulate the simulatable block diagram model; and

one or more instructions for displaying the updated preview of the code on a graphical user interface.

25. (currently amended) A system for generating and displaying a graphical programming application, comprising:

user-operable input means for inputting data to the graphical programming application;

a display device for displaying a simulatable block diagram model; and

an electronic device including memory for storing computer program instructions and data, and a processor for executing the stored computer program instructions, the computer program instructions including instructions for providing a code preview to a user on the display device, the code preview displaying a preview of code representative of code for a block in the simulatable block diagram model after the user defines a property of the block using the user-operable input means, and the preview of the code being created by a predictor mechanism which generating an estimation of emulates how the code appears when the code is generated by an execution engine for the block using a predictor mechanism.

26. (original) The system of claim 25, wherein the input means comprises a graphical user interface displayed on the display device.

27. (original) The system of claim 26, wherein the graphical user interface includes a field for displaying the code preview.

28. (currently amended) A system for generating and displaying a graphical programming application, comprising:

user-operable input means for inputting data to the graphical programming application;
a display device for displaying a simulatable block diagram model; and
an electronic device including memory for storing computer program instructions and data, and a processor for executing the stored computer program instructions, the computer program instructions including instructions for:

receiving a first datum altering a setting of a first portion of the simulatable block diagram model,

in response to the first datum, generating a preview of code representative of code for the first portion prior to generation of code for the simulatable block diagram model,

receiving a second datum altering a setting of a second portion of the simulatable block diagram model,

in response to the second datum, automatically updating a portion of the preview of the code representative of code for a setting for a block in the simulatable block diagram model in response to the user altering the setting and displaying the updated preview of the code, the updated portion of the preview of the code being presented in a format that differs from an un-updated portion of the preview of the code and receiving a cancellation of the altering of the setting after displaying the updated preview of the code.

29. (original) The system of claim 28, wherein the input means comprises a graphical user interface displayed on the display device.

30. (original) The system of claim 29, wherein the graphical user interface includes a field for displaying the updated code.